



Pelvic Health: Special Populations

COURSE AUTHOR

Jennifer Stone PT, DPT, OCS, PHC

COURSE CONTACT INFO

All questions related to this course should be directed to courses@eimpt.com or you can call the office directly at 1-888-709-7096. To expedite a response to your request please include Course Name and Number, your question, the url to webpage related to the question, and a screenshot of what you see on your screen.

COURSE LEVEL

Intermediate

COURSE DESCRIPTION

This is a self paced, self study course is designed for you to be able to glean valuable information to enhance your treatment of patients with pelvic floor dysfunction. The topics in this course are designed to enhance and deepen your knowledge base as you care for patient types that may be a little less familiar to you.

OBJECTIVES

Upon completing this course, you will be able to:

1. Discuss options to evaluate and treat pelvic floor dysfunction, including incontinence, in pediatric patients.
2. Understand the differences between anatomy of male and female pelvic floors and implications for examination and intervention.
3. List appropriate interventions for men with chronic pelvic pain.
4. Describe how pelvic floor physical therapy can help men with premature ejaculation.
5. Demonstrate understanding of the types of pelvic floor dysfunction than can develop following prostate surgery.
6. Discuss common types of pelvic floor dysfunction in patients with neurologic conditions as well as considerations for treatment in this population.
7. Understand appropriate terminology and treatment for transgender and nonbinary patients with pelvic floor dysfunction, as well as understanding of consideration for postoperative rehabilitation.

TARGET AUDIENCE

PT/PTA, OT



CONTACT HOURS/CEU/CCUS

1.9 hours/.19 CEU/1.9 CCU

You will receive a certificate of completion for this course via email after successful completion of the course quiz. *The assignment of Texas PT CCUs does not imply endorsement of specific course content, products or clinical procedures by TPTA or TBPTE.*

EIM PROGRAM APPLICABILITY

Pelvic Health Special Populations may be transferred into EIM Pelvic Health Certification as one of the two required elective courses in the curriculum and is equivalent to PHPT 6140 Pelvic Health Special Populations. Successful completers of this course accepted into the Pelvic Health Certification will receive academic and financial credit equivalent to the value of PHPT 6140 Pelvic Health Special Populations.

PREREQUISITES

None

Course Materials

All online content will be delivered through Teachable, the online learning platform. You will receive your login information with your program/course registration. A video and a handout are available for each lecture. These lectures build on the content you learn from the previous lecture. You will need to complete each lecture video and handout before moving to the next lecture.

Course Assignments/Schedule/Content

Lectures/Presentations	Time
Male Pelvic Health	18:44
Pediatric Incontinence 1	17:50
Pediatric Incontinence 2	15:26
Pediatric Incontinence 3	18:57
Pelvic Health Neuro Patients	6:26
Pelvic Health Transgender Patients	8:17
Quiz	30
Total	1.9 hrs/.19 CEU/1.9 CCU

GRADING

Learner attainment of the objectives is assessed through a 20 question multiple choice quiz administered after completion of coursework. A minimum of 70% is required for success and award of continuing education credit. Estimated time to complete the quiz is 30 minutes; although the quiz is untimed, and you may take all the time you need to complete. Learners may repeat the quiz as needed to meet the requirement.

ACADEMIC INTEGRITY

Each student in this course is expected to abide by the Evidence In Motion and Partners Code of Academic Integrity. Any work submitted by a student in this course for academic credit will be the student's own work.

CANCELLATION POLICY

You may cancel within the first 48 hours of purchase. Your access membership will automatically renew. To avoid the auto-renewal, please email courses@eimpt.com 14-days prior to your enrollment anniversary. If you terminate your subscription, it will remain active until the end of your current subscription period. There are no refunds, full or partial, for the remaining period or unused portions of your subscription when you cancel the service.

References:

1. Anderson et al. Integration of myofascial trigger point release and paradoxical relaxation training treatment of chronic pelvic pain in men. *The Journal of Urology*. 2005;174: 155-160.
2. Buckley et al. Prevalence of urinary incontinence in men, women and children-current evidence: findings of the fourth international consultation of incontinence. *Urology*. 2010;76(2): 265-270
3. Giubilei et al. Physical activity of men with chronic prostatitis/chronic pelvic pain syndrome not satisfied with conventional treatments-could it represent a valid option? The physical activity and male pelvic pain trial: a double blind, randomized study. *J Urology*. 2007: 177(1). 159-165
4. Fitzgerald et al. Randomized multicenter feasibility trial of myofascial physical therapy for the treatment of urological chronic pelvic pain syndromes. *Journal of Urology*. 2009: 182. 570-580
5. Herati. Alternative therapies in the management of chronic prostatitis/chronic pelvic pain syndrome. *World Journal of Urology*. 2013: 31. 761-766
6. Lee et al. The study about physical activity for subjects with prevention of benign prostate hyperplasia. *International Neurological Journal*. 2014: 18(3). 155-162
7. Lovoisier et al. Pelvic-floor muscle rehabilitation in erectile dysfunction and premature ejaculation. *Physical Therapy*. 2014: 94(12). 1731-1743
8. Maternik M, Krzeminska K, Zurowska A. The management of childhood urinary incontinence. *Pediatr Nephrol*. 2014;30(1):41-50. doi:10.1007/s00467-014-2791-x
9. Storm DW, Lockwood GM, Cooper CS. Foreword on the evolution of the multidisciplinary pediatric voiding dysfunction clinic and move towards standardization of treatment protocols. *Curr Bladder Dysfunct Rep*. 2018;13:18-19.
10. Dos Santos J, Lopes RI, Koyle MA. Bladder and bowel dysfunction in children: An update on the diagnosis and treatment of a common, but underdiagnosed pediatric problem. *CUAJ*. 2017;11:S64-S72.
11. Austin PF, et al. The standardization of terminology of lower urinary tract function in children and adolescents: update report from the standardization committee of the international children's continence society. *J Urology*. 2014;191:1863-1865.
12. Palmer LS. Evaluation and targeted therapy of voiding dysfunction in children. *J Urology*. 2016;92:87-94.
13. Tugtepe H, et al. Comparison of biofeedback therapy in children with treatment-refractory dysfunctional voiding and overactive bladder. *J Urology*. 2014;85(4):900-904.
14. Desantis DJ, et al. Effectiveness of biofeedback for dysfunctional elimination syndrome in pediatrics: a systematic review. *J Ped Urology*. 2011;7:342-348.
15. Ramakrishan, Evaluation and treatment of enuresis. *American Family Physician*. 2008. 78(4). 489-496.
16. Hodges SJ, Colaco M. Daily Enema Regimen Is Superior to Traditional Therapies for Nonneurogenic Pediatric Overactive Bladder. *Glob Pediatr Health*. 2016;3:2333794X16632941. Published 2016 Mar 4. doi:10.1177/2333794X16632941
17. Austin, P., Bauer, S.B., Bower, W., et al. The standardization of terminology of lower urinary tract function in children and adolescence: update report from the standardization committee of the international children's continence society. *J Urol* (2014) 191.

18. Caldwell, P.H., Nankivell, G. and Sureshkumar, P., 2013. Simple behavioural interventions for nocturnal enuresis in children. *Cochrane Database of Systematic Reviews*, (7).
19. Chase J., Austin P., Hoebeke P. & McKenna P. (2010) The management of dysfunctional voiding in children: a report from the Standardisation Committee of the International Children's Continenence Society. *The Journal of Urology* 183 (4), 1296–1302.
20. Franco, I., Von Gontard, A., De Gennaro, M. and members of the International Children's Continenence Society, 2013. Evaluation and treatment of nonmonosymptomatic nocturnal enuresis: a standardization document from the International Children's Continenence Society. *Journal of pediatric urology*, 9(2), pp.234-243.
21. Kajbafzadeh, A.M., Sharifi-Rad, L., Mozafarpour, S. and Ladi-Seyedian, S.S., 2015. Efficacy of transcutaneous interferential electrical stimulation in treatment of children with primary nocturnal enuresis: a randomized clinical trial. *Pediatric Nephrology*, 30(7), pp.1139-1145.
22. Ladi-Seyedian, S.S., Sharifi-Rad, L. and Kajbafzadeh, A.M., 2018. Pelvic floor electrical stimulation and muscles training: a combined rehabilitative approach for management of non-neuropathic urinary incontinence in children. *Journal of pediatric surgery*.
23. Lin, J., Masruha, M.R., Peres, M.F.P., Minett, T.S.C., de Souza Vitalle, M.S., Scerni, D.A. and Vilanova, L.C.P., 2012. Nocturnal enuresis antecedent is common in adolescents with migraine. *European neurology*, 67(6), pp.354-359.
24. Neveus, T, Eggert P, Evans J, et al. Evaluation of the treatment for monosymptomatic enuresis: a standardisation document from the international children's continence society. *J Urol* 2010; 183: 441-447
25. Raheem, A.A., Farahat, Y., El-Gamal, O., Ragab, M., Radwan, M., El-Bahnasy, A.H., El-Gamasy, A.N. and Rasheed, M., 2013. Role of posterior tibial nerve stimulation in the treatment of refractory monosymptomatic nocturnal enuresis: a pilot study. *The Journal of urology*, 189(4), pp.1514-1518.
26. Sancak, E.B., Akbaş, A., Kurt, Ö., Alan, C. and Ersay, A.R., 2016. The effectiveness of biofeedback therapy in children with monosymptomatic enuresis resistant to desmopressin treatment. *Turkish journal of urology*, 42(4), p.278.
27. Seyedian, S. S. L., Sharifi-Rad, L., Ebadi, M., & Kajbafzadeh, A. M. (2014). Combined functional pelvic floor muscle exercises with Swiss ball and urotherapy for management of dysfunctional voiding in children: a randomized clinical trial. *European Journal of Pediatrics*, 173(10), 1347-1353.
28. Tek, M. and Erdem, E., 2014. Advances in the management of enuresis. *F1000prime reports*, 6.
29. Vesna, Z.D., Milica, L., Stanković, I., Marina, V. and Andjelka, S., 2011. The evaluation of combined standard urotherapy, abdominal and pelvic floor retraining in children with dysfunctional voiding. *Journal of Pediatric Urology*, 7(3), pp.336-341.
30. Walle, J.V., Rittig, S., Bauer, S., Eggert, P., Marschall-Kehrel, D. and Tekgul, S., 2012. Practical consensus guidelines for the management of enuresis. *European journal of pediatrics*, 171(6), pp.971-983.
31. Zivkovic V, Lazovic M, Vljakovic M, Slavkovic A, Dimitrijevic L, Stankovic I, Vacic N. (2012). Diaphragmatic breathing exercises and pelvic floor retraining in children with dysfunctional voiding. *European Journal of Physical Rehabilitation Medicine*. 48(3):413-21. Epub 2012 Jun
32. Parekh et al. The role of pelvic floor exercises on post-prostatectomy incontinence. *Journal of Urology*. 2003: 170(1): 130-133.
33. Pontari. Chronic prostatitis/chronic pelvic pain syndrome in elderly men: toward a better understanding and treatment. *Drugs and aging*. 2003: 20(15). 1111-1125
34. Pontari. A case-control study of risk factors in men with chronic pelvic pain syndrome. *BJU International*. 2005: 96(4). 559-565
35. Potts. Chronic pelvic pain syndrome: a non-prostatocentric perspective. *World Journal of Urology*. 2003: 21(2). 54056
36. Westesson et al. Chronic prostatitis/chronic pelvic pain syndrome and pelvic floor spasm: can we diagnose and treat? *Curr Urol Rep*. 2010: 11. 261-264
37. Rudd et al. Natural history of benign prostatic hyperplasia: definition and estimation of its prevalence. *Urology*. 1995: 46(1). 34-40
38. Tran and Shoskes. Sexual dysfunction in chronic prostatitis/chronic pelvic pain syndrome. *World Journal of Urology*. 2013. 31. 741-746

Date of Last Course Update: **March 2019**